




# 52-Pc Steel Clamping Kit



## Order No. & Dimensions

Unit:inch

ORDER NO.	Table Slot	Stud Size	G.W. kg	Meas. CFT	CODE NO.
CK-103A	7/16"	3/8"-16w	7	(C) 0.8	1003-009
CK-103B	1/2"		7		1003-010
CK-104A	9/16"	1/2"-12w	9.5	(C) 1.0	1003-011
CK-104B	5/8"	1/2"-13w	10		1003-012
CK-105A	11/16"	5/8"-11w	13	(C) 1.5	1003-013
CK-105B	3/4"		13		1003-014
CK-206	7/8"	3/4"-10w	25	2.0	1003-015

Unit:mm

ORDER NO.	Table Slot	Stud Size	G.W. kg	Meas. CFT	CODE NO.
CK-08	10	8-1.25P	7	(C) 0.8	1003-001
CK-10	12	10-1.25P	10		1003-002
CK-12A	14	12-1.75P	9.5	(C) 1.0	1003-003
CK-12B	15.7		10		1003-004
CK-14	16	14-2.0P	11	(C) 1.5	1003-005
CK-16	18	16-2.0P	13		1003-006
CK-18	20	18-2.5P	25	(C)1.6	1003-007
CK-20	22	20-2.5P	26	(C)2.0	1003-008

Heat treated steel black oxide finish.

Block size 1" (25mm). Set in plastic rack consists of:

24 pcs Studs(4 ea, 3/4/5/6/7/8 inches or 75/100/125/150/175/200mm.)

6 pcs T-Nuts

4 pcs Coupling Nuts

6 pcs Flange Nuts

6 pcs step Clamps


6 pcs Step Blocks

CK-18, CK20, CK206, Used Wooden Plate to keep.

The parts of every specification all can be purchased individually.

## INDIVIDUALLY PARTS

### T-SLOT NUT



ORDER NO.	Table Slot	Tread Size	A	B	C	WEIGHT (kg)	CODE NO.
3412M	10	M8	16	6	12	0.023	1003-020
3423M	12	M10	18	7	14	0.028	1003-021
3414M	14	M12	22	8	16	0.048	1003-022
A3424M	16	M12	25	8	16	0.06	1003-023
B3424M	16	M14	25	8	16	0.06	1003-024
3415M	18	M16	28	11	20	0.087	1003-025
3416M	20	M18	32	12	24	0.142	1003-026
3417M	22	M20	35	14	28	0.165	1003-027
3418M	28	M24	44	18	36		1003-028

### STEP CLAMP



mm

ORDER NO.	Bolt Size	Length	Width	Thickness	Weight (kg)	CODE NO.
6113	5/16 or 3/8	64	25	12	0.25	1003-030
6123	5/16 or 3/8	100	25	16	0.49	1003-031
6133	5/16 or 3/8 (M8 or M10)	150	28	19	0.99	1003-032
6214	1/2	64	28	12	0.25	1003-033
6224	1/2	100	32	19	0.67	1003-034
6234	1/2 (M12)	150	32	22	1.2	1003-035
6215	5/8	64	32	22	0.31	1003-036
6225	5/8	100	38	19	0.85	1003-037
6235	5/8 (M16)	150	38	22	1.47	1003-038
6316	3/4	100	38	19	0.75	1003-039
6326	3/4	150	38	25	1.43	1003-040
6336	3/4 (M18)	200	44	28	2.82	1003-041
6417	7/8 or 1	150	50	32		1003-042
6427	7/8 or 1	200	50	35		1003-043
6437	7/8 or 1 (M20 or M24)	250	50	38		1003-044